


AC6504801NA

2022-UP INEOS GRENADIER

RAGO CENTER CONSOLE MOLLE



TOOLS REQUIRED

- Masking Tape
- Marker
- Drill
- 25/64 Drill Bit
- Rivet Nut Hand Tool
- 5/32 Hex

SKILL LEVEL

- Easy

TIME REQUIRED

- Approximately 30 Minutes

WARNINGS/CAUTIONS BEFORE STARTING INSTALLATION

-BEFORE YOU INSTALL THIS KIT-

Read and understand all instructions, warnings, cautions, & notes contained in this installation instruction guide. Consult your vehicle owner's manual for proper disconnection of electrical and lifting of vehicle if required for installation of this product.

This install may require some technical skills and knowledge of basic mechanical work. If you do not feel that you are capable of performing this install please take this product to a trained professional.

After reading this guide please contact us with any questions or concerns before installing product.

Customer Service: 830-896-7571

Rago Fabrication is **not** responsible for any bodily injury or harm to you or your vehicle as a result of an improper install.

Proper installation of this kit required knowledge of the factory recommended procedures for removal and installation of original equipment components.

We recommend that the factory shop manual and any special tools needed to service your vehicle be on hand during the installation. Installation of this kit without proper knowledge of the factory recommended procedures may affect the

performance of these components and the safety of the vehicle.

Inspect all contents of this package to make sure product is not damaged and all installation hardware has been included. If parts are missing from kit, please be prepared to provide the following information:

1. Name of purchase location
2. Bar Code on side of box
3. Date above bar code
4. Date inside box cover

***ALWAYS WEAR EYE PROTECTION
WHEN OPERATING POWER TOOLS***

HARDWARE

A.



1/4-20 X 3/4" BUTTON HEAD BOLT

QTY: 8

A1.



1/4" FLAT WASHER

QTY: 8

A2.



1/4-20" RIVET NUT

QTY: 8

Reference this page throughout the install



□ STEP 1

Slide both the driver and passenger seat all the way to the back position. Hold the center console molle up and align it with the top surface of the center console. Once you have the center console molle in the desired position use a sharpie to mark all 4 mounting holes, ensure the molle does not move while marking the holes to retain desired fitment.



STEP 2

Drill the marked holes from **step 1** by using a (25/64 drill bit). (Use extreme caution when drilling into the center console not to damage any components.)



□ STEP 3

Install the provided (A2) 1/4" rivetnuts into the holes drilled on **step 2**, then using a (5/32 allen) install the provided 1/4" hardware (A, A1) into the rivetnuts as shown below. (Repeat steps 1-3 on the other side)



STEP 4

Stand back and enjoy your new RAGO Center Console Molle.

Check and re-tighten all mounting bolts after 100 miles and periodically thereafter.

